

# **AES standard for audio applications of networks - High-performance streaming audio-over-IP interoperability**

Published by

**Audio Engineering Society, Inc.**

Copyright ©2013, 2015 by the Audio Engineering Society

## **Abstract**

High-performance media networks support professional quality audio (16 bit, 44,1 kHz and higher) with low latencies (less than 10 milliseconds) compatible with live sound reinforcement. The level of network performance required to meet these requirements is available on local-area networks and is achievable on enterprise-scale networks. A number of networked audio systems have been developed to support high-performance media networking but until now there were no recommendations for operating these systems in an interoperable manner. This standard provides comprehensive interoperability recommendations in the areas of synchronization, media clock identification, network transport, encoding and streaming, session description and connection management.

An AES standard implies a consensus of those directly and materially affected by its scope and provisions and is intended as a guide to aid the manufacturer, the consumer, and the general public. The existence of an AES standard does not in any respect preclude anyone, whether or not he or she has approved the document, from manufacturing, marketing, purchasing, or using products, processes, or procedures not in agreement with the standard. Prior to approval, all parties were provided opportunities to comment or object to any provision. Attention is drawn to the possibility that some of the elements of this AES standard or information document may be the subject of patent rights. AES shall not be held responsible for identifying any or all such patents. Approval does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the standards document. This document is subject to periodic review and users are cautioned to obtain the latest edition. Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

---

**Audio Engineering Society Inc. 551 Fifth Avenue, New York, NY 10176, US.**

[www.aes.org/standards](http://www.aes.org/standards)    [standards@aes.org](mailto:standards@aes.org)

Document preview:  
for full document, go to  
[www.aes.org/publications/standards](http://www.aes.org/publications/standards)

2015-09-21 printing

## Contents

<b>0 Introduction</b> .....	<b>5</b>
0.1 General .....	5
0.2 Patents.....	5
<b>1 Scope</b> .....	<b>6</b>
<b>2 Normative references</b> .....	<b>6</b>
<b>3 Definitions and abbreviations</b> .....	<b>7</b>
<b>4 Synchronization</b> .....	<b>12</b>
4.0 General .....	12
4.1 IP network synchronization .....	12
4.2 IEEE 1588 network synchronization .....	13
4.3 AVB network synchronization .....	13
<b>5 Media clocks</b> .....	<b>13</b>
<b>6 Transport</b> .....	<b>13</b>
6.0 General .....	13
6.1 Network layer .....	14
6.2 Quality of service .....	15
6.3 Transport layer.....	16
<b>7 Encoding and streaming</b> .....	<b>16</b>
7.0 Introduction .....	16
7.1 Payload format and sampling rate .....	16
7.2 Packet time .....	17
7.2.0 General.....	17
7.2.1 Required packet time .....	17
7.2.2 Recommended packet times .....	18
7.3 Stream channel count .....	18
7.4 Link offset.....	19
7.5 Sender timing and receiver buffering .....	20
7.6 Multicasting .....	20
<b>8 Session description</b> .....	<b>21</b>
8.0 General .....	21
8.1 Packet time .....	21
8.2 Clock source .....	22
8.3 RTP and media clock.....	22
8.4 Payload types .....	23
8.5 Example descriptions.....	23
8.5.1 Multicast session description example .....	23
8.5.2 Unicast session description example .....	23
<b>9 Discovery</b> .....	<b>24</b>
<b>10 Connection management</b> .....	<b>24</b>
10.0 General .....	24
10.1 Unicast connections.....	24
10.1.1 SIP URI .....	24
10.1.2 Server and serverless modes.....	24
10.1.3 User-Agent .....	25

10.1.4 Format negotiation .....	25
10.1.5 Packet time negotiation .....	25
10.2 Multicast connections .....	25
<b>Annex A (Normative) - Media profile .....</b>	<b>26</b>
A.0 General .....	26
A.1 Media profile description .....	26
A.2 Media profile .....	26
A.2.1 Identification .....	26
A.2.2 PTP attribute values .....	26
A.2.3 PTP options .....	29
A.2.4 Clock physical requirements .....	29
<b>Annex B (Informative) - Network QoS configuration recommendations .....</b>	<b>30</b>
B.0 General .....	30
B.1 DiffServ network configuration .....	30
B.1.1 Clock .....	30
B.1.2 Media .....	31
B.1.3 Best effort .....	32
<b>Annex C (Informative) – AVB network transport .....</b>	<b>33</b>
C.0 General .....	33
C.1 AVB network transport .....	33
C.1.1 Interoperable media as AVB time-sensitive streams .....	33
C.1.2 Interoperable media as other traffic .....	34
<b>Annex D (Informative) - Interfacing to IEEE 802.1AS clock domains .....</b>	<b>36</b>
D.0 General .....	36
D.1 Boundary clock interface .....	36
D.2 Ordinary clock interface .....	36
D.3 Traceable reference .....	36
D.4 AVB network as a boundary clock .....	37
<b>Annex E (Informative) – Discovery systems .....</b>	<b>38</b>
E.0 General .....	38
E.1 Bonjour .....	38
E.2 SAP .....	38
E.3 Axia Discovery Protocol .....	38
E.4 Wheatstone WheatnetIP Discovery Protocol .....	38
<b>Annex F (Informative) - Informative references .....</b>	<b>40</b>
<b>Annex G (Informative) - Glossary .....</b>	<b>41</b>

## Foreword

This foreword is not part of the AES67-2013 *AES standard for audio applications of networks - High-performance streaming audio-over-IP interoperability*

This document was developed in project AES-X192, in the SC-02-12-H task group on high-performance streaming audio-over-IP interoperability, under the leadership of Kevin Gross.

Members of the writing group that contributed to this document in draft are: R. Abraham, J. Amate, M. Barbour, C. Becker-Foss, J. Berryman, M. Bishop, H. Blum, J. Boqvist, T. Borland, N. Borthwick, L. Bradshaw, P. Briscoe, L. Brito, J. Britton, C. Broad, N. Brunsgaard, D. Brutzman, E. Bukont Jr., A. Calvanese, R. Camprodon, M. Carter, A. Cedronius, A. Clark, H. Clarke, M. Coinchon, P. Cyrta, S. de Jaham, P. Demuytere, J. Dibley, A. Dickens, P. Dietrich, C. Dodds, S. Dove, A. Eales, E. Echols, R. Economaki, T. Edwards, A. Elder, L. Ellison, K. Fitzke, J. Fletcher, S. Flock, R. Foss, P. Foulkes, F. Gierlinger, R. Goforth, J. Grant, M. Graubner, D. Gravereaux, S. Gray, H. Hansen, B. Harshbarger, S. Heinzmann, A. Hildebrand, D. Hoch, M. Holtmann, Os. Igumbor, H. Jahne, T. Johansson, M. J. Teener, S. Johnson, L. Jonsson, A. Karamustafaoglu, K. Kearney, P. Keller, J. Koftinoff, P. Koftinoff, D. Koss, S. Langhans, M. Lave, D. Lazecko, S. Ledergerber, C. Lefebvre, J. Lindsay, G. Linis, S. Loehberg, A. Louko, A. Makivirta, J. A. Martinez, A. Mayo, W. McQuay, C. Merienne, A. Metz, J. Meunier, J. Meyer, R. Michl, S. Millan, D. O'Gwynn, N. O'Neill, H. Okai-Tettey, K. Parker, J. Passaniti, J. Peavey, J. Perez, W. Peters, S. Price, S. Pro, M. Quaix, F. Ragenard, R. Rayburn, D. Rice, T. Rohwedder, G. Rosenboom, M. Saito, M. S. Carreres, J. Sauter, R. Schoonbroodt, V. Schueppel, P. Schwizer, S. Scott, G. Shay, T. Shuttleworth, D. Silver, J. Simpson, M. Sims, A. Smimite, J. Snow, T. Staros, P. Stevens, J. M. Strawn, N. Sturmel, M. Szlapka, T. Thompson, P. Treleaven, A. Trevena, S. Turner, R. van der Zalm, B. van Kempen, I. Vysick, J. P. Waddell, Y. Wang, P. Warrington, H. Weibel, A. Williams, M. Willsher, A. Witham, J. Wood, J. A. Yeary, J. Yoshio, P. Yurt, U. Zanghieri, D. Zimmermann, R. Zwiebel.

This document was edited by Kevin Gross.

Richard Foss

Chair, working group SC-02-12, 2013-07-18

### Foreword to second edition, 2015

This revision includes minor changes identified during 'plugfest' testing in October 2014 and was developed in task group SC-02-12-M. It includes updated references to RFC 7273, and clarifications in 6.3, 8.1, and 8.5.

Members of the task group that contributed to this revision in draft R. Abraham, J. Amate, L. Andrieu, R. Barbieri-Carrera, M. Barbour, C. Becker-Foss, F. Bergholtz, J.A. Berryman, J. Boqvist, J. Breitlow, D. Brulhart, B.J. Buchalter, A. Calvanese, C. Cellier, K. Cleary, M. Danielson, I. Dennis, C. Diehl, S. Dove, T. Duffy, J. Dunn, J. Evanson, J. Fletcher, S. Flock, R. Foss, J. Freyberger, G. Gebler, J. Grant, K. Gross, S. Heinzmann, E. Heurtel, A. Hildebrand, F. Hoyer, T. Johansson, L. Jonsson, B. Klinkradt, J. Koftinoff, S. Langhans, S. Ledergerber, C. Lefebvre, S. Leschka, Jo. Lindsay, G. Linis, A. Lucas, A. Makivirta, A. Metz, J. Meyer, R. Michl, G. Passador, J. Peavey, M. Quaix, C.R. Reed, T. Rohwedder, M. Schuchert, V. Schueppel, G. Shay, P. Stevens, N. Sturmel, M. Szlapka, P. Treleaven, A. van den Broek, B. van Kempen, J.P. Waddell, A. Williams, K. Wu, N. Yamaguchi, R. Zwiebel.

The task group was led by Kevin Gross.

Richard Foss

Chair, working group SC-02-12, 2015-07-27

### Note on normative language

In AES standards documents, sentences containing the word “shall” are requirements for compliance with the document. Sentences containing the verb “should” are strong suggestions (recommendations). Sentences giving permission use the verb “may”. Sentences expressing a possibility use the verb “can”.

Document preview:  
for full document, go to  
[www.aes.org/publications/standards](http://www.aes.org/publications/standards)

2015-09-21 printing

# AES standard for audio applications of networks - High-performance streaming audio-over-IP interoperability

## 0 Introduction

### 0.1 General

High-performance media networks support professional quality audio (16 bit, 44,1 kHz and higher) with low latencies (less than 10 ms) compatible with live sound reinforcement. The level of network performance required to meet these requirements is available on local-area networks and is achievable on enterprise-scale networks but is generally not available on wide-area networks or the public internet.

The most recent generation of these media networks use a diversity of proprietary and standard protocols. Despite a common basis in Internet Protocol, the systems do not interoperate.

This standard provides specific recommendations for interoperability. The standard focuses on defining how existing protocols are used to create an interoperable system. No new protocols have been developed to achieve this.

The standard is expected to be useful for commercial audio applications including fixed and touring live sound reinforcement. It is also expected to be useful for distribution within broadcast, music production and post-production facilities.

### 0.2 Patents

The Audio Engineering Society draws attention to the fact that it is claimed that compliance with this AES standard or information document may involve the use of a patent.

The AES holds no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the AES that it is willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is archived with the AES and listed on the public AES web site.

Information may be obtained from.

Audinate Pty Ltd.  
PO Box 855  
Ultimo, NSW 2007  
Australia

Attention is drawn to the possibility that some of the elements of this AES standard or information document may be the subject of patent rights other than those identified above. AES shall not be held responsible for identifying any or all such patent rights.

## 1 Scope

This standard defines an interoperability mode for transport of high-performance audio over networks based on the Internet Protocol. For the purposes of the standard, high-performance audio refers to audio with full bandwidth and low noise. These requirements imply linear PCM coding with a sampling frequency of 44,1 kHz and higher and resolution of 16 bits and higher. High performance also implies a low-latency capability compatible with live sound applications. The standard considers latency performance of 10 milliseconds or less.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

**AES11** - *AES recommended practice for digital audio engineering - Synchronization of digital audio equipment in studio operations*; Audio Engineering Society, New York, NY., US.

**IEEE 1588-2008** - *IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems*, July 2008, Institute of Electrical and Electronics Engineers (IEEE), US.

**RFC 768** – *User Datagram Protocol*, Internet Engineering Task Force

**RFC 791** – *Internet Protocol*, Internet Engineering Task Force

**RFC 1112** – *Host Extensions for IP Multicasting*, Internet Engineering Task Force

**RFC 2236** - *Internet Group Management Protocol, Version 2*, Internet Engineering Task Force

**RFC 2474** – *Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers*, Internet Engineering Task Force

**RFC 2616** - *Hypertext Transfer Protocol - HTTP/1.1*, Internet Engineering Task Force

**RFC 2974** – *Session Announcement Protocol*, Internet Engineering Task Force

**RFC 3190** – *RTP Payload Format for 12-bit DAT Audio and 20- and 24-bit Linear Sampled Audio*, Internet Engineering Task Force

**RFC 3261** - *SIP: Session Initiation Protocol*, Internet Engineering Task Force

**RFC 3264** - *An Offer/Answer Model with the Session Description Protocol (SDP)*, Internet Engineering Task Force

**RFC 3376** - *Internet Group Management Protocol, Version 3*, Internet Engineering Task Force

**RFC 3550** – *RTP: A Transport Protocol for Real-Time Applications*, Internet Engineering Task Force

**RFC 3551** - *RTP Profile for Audio and Video Conferences with Minimal Control*, Internet Engineering Task Force

**RFC 4566** – *Session Description Protocol*, Internet Engineering Task Force

**RFC 7273** – *RTP Clock Source Signalling*, Internet Engineering Task Force