

The AES Standards Committee is the organization responsible for the standards program of the Audio Engineering Society. It publishes technical standards, information documents and technical reports. Working groups and task groups with a fully international membership are engaged in writing standards covering fields that include topics of specific relevance to professional audio. Membership of any AES standards working group is open to all individuals who are materially and directly affected by the documents that may be issued under the scope of that working group.

Complete information, including working group scopes and project status is available at http://www.aes.org/standards. Enquiries may be addressed to standards@aes.org

The AES Standards Committee is supported in part by those listed below who, as Standards Sustainers, make significant financial contribution to its operation.



Focusrite[®]

























































This list is current as of 2023/9/30

AES information document for interconnections - Universal jack for IEC 60603-11 and B-gauge 6,35 mm plugs

Published by **Audio Engineering Society, Inc.**Copyright ©2010 by the Audio Engineering Society

Abstract

Users of test equipment and portable audio equipment such as mixers and direct-injection (DI) boxes, may have to handle 'consumer' type equipment that uses the IEC 60603-11 3-contact (tip-ring-sleeve, or TRS) 6,3 mm plug connector and also professional equipment that uses the B-gauge connector. Traditionally, this has required the use of numerous ad-hoc adapters and connecting leads with different plugs at each end. Neither solution is very convenient and may be unreliable.

Jack connectors that can accommodate both types of plug have existed for some time, but are not well known. Some TRS jacks will accommodate both types of plug but are not specified by the manufacturer for such use. Clause 5 recommends jack dimensions that are specified to have the required "universal" capability. This does not imply that there may not be others.

An AES standard implies a consensus of those directly and materially affected by its scope and provisions and is intended as a guide to aid the manufacturer, the consumer, and the general public. An AES information document is a form of standard containing a summary of scientific and technical information; originated by a technically competent writing group; important to the preparation and justification of an AES standard or to the understanding and application of such information to a specific technical subject. An AES information document implies the same consensus as an AES standard. However, dissenting comments may be published with the document. The existence of an AES standard or AES information document does not in any respect preclude anyone, whether or not he or she has approved the document, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard. This document is subject to periodic review and users are cautioned to obtain the latest edition.

Contents

Introduction	4
1 Scope	
2 Normative references	
3 Definitions and abbreviations	
4 Guidelines	
5 Recommended dimensions of compatible phone jacks	
5.1 General	5
5.2 Dimensions	5
Annex A (Informative): Recommended performance specifications	7
Annex B (Informative): Informative references	8
Annex C (Informative): Identification of concentric plugs	9

Foreword

This foreword is not part of the AES-14id-2010, AES Information document for interconnections - Universal jack for IEC 60603-11 and B-gauge 6,35 mm plugs.

The subject of compatibility of jacks and plugs from different standards was discussed in the SC-05-02 working group on Audio connectors of the SC-05 subcommittee on Interconnections.

The writing group that produced the draft was led by J. Woodgate and included: W. Bachmann, J. Brown, A. Eckhart, M. Natter, B. Olson, R. Rayburn, M. Yonge.

Ray Rayburn Chair, SC-05-02 working group on audio connectors 2010-07-06

Note on normative language

In AES standards documents, sentences containing the word "shall" are requirements for compliance with the document. Sentences containing the verb "should" are strong suggestions (recommendations). Sentences giving permission use the verb "may". Sentences expressing a possibility use the verb "can".

AES Information document for interconnections - Universal jack for IEC 60603-11 and B-gauge 6,35 mm plugs

Introduction

There are a number of jack connectors in use that appear to have the same quarter-inch diameter, but which are not reliably compatible in use. It has long been felt that it should be possible to identify a 'universal' jack connector to accept plugs from a range of types in common use.

1 Scope

This AES Information document discusses mechanical compatibility issues between 6,35 mm (quarter-inch) jack connectors with various profiles, including those defined given in IEC60603-11 and 'B-gauge' plugs. It recommends key jack dimensions for optimum compatibility with a range of "quarter-inch", or 6.35 mm, TRS plug types.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/TR 60603-11:1992, Connectors for frequencies below 3 MHz for use with printed boards, Part 11: Detail specification for concentric connectors (dimensions for free connectors and fixed connectors). International Electrotechnical Commission, Geneva, Switzerland.

IEC 61602:1996, Connectors used in the field of audio, video and audiovisual engineering. International Electrotechnical Commission, Geneva, Switzerland.

3 Definitions and abbreviations

3.1

Jack

female concentric connector, usually fixed to equipment or connector panel.

3.2

Plug

male concentric connector, usually terminating a free cable.

3.3

TRS plug

3-contact concentric plug where the contacts are identified as Tip, Ring, and Sleeve.

3.4

IEC plug

2-contact or 3-contact concentric plug compliant with IEC 60603-11.